

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781  
/24037124/24035273  
Fax : 24044532/24024068  
/24023516  
Email : rohq@mpcb.gov.in  
Website: www.mpcb.gov.in



Kalpataru Point, 3rd & 4th Floor, .

Sion- Matunga Scheme Road No. 8, Opp. Cino  
Planet Cinema  
Near Sion Circle, Sion (E),  
Mumbai - 400 022

**Red/S.S.I/Dismantler**

UAN: MPCB-CONSENT-00001002054

Consent No: BO/MPCB/RO(HQ)/NM/CO/B-2101000386

Date: 11/01/2021

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 & Authorization / Renewal of Authorization under Rule 13 of the E-Waste (Management) Rules, 2016.

[To be referred as Water Act, Air Act, HOW (M&TM) Rules and E-Waste (M) Rules, respectively].

CONSENT is hereby granted to

M/s. Ecostar Recycling,  
Survey No.94 Hissa No.12 Mahadev Industrial,  
Near Ladi Company, Mumbra Dist:- Thane-400612.

Located in the area declared under the provisions of the Water Act, Air act, Authorization under the provisions of H&OW (M&TM) Rules and amendments thereto and the E-Waste (M) Rules, 2016 and subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

- The Consent to Operate is granted for period: 31/12/2025.  
[Subject to obtaining Authorisation from MPCB as "E-Waste Dismantler" as per provisions of the Rule 11 of the E-Waste (M) Rules, 2016.]

- The Consent is valid for the activity of -

Sr. No.	Product Name	Maximum Quantity
1	Collection, Segregation, Dismantling of E-Waste	ITEW - 1,2,3,4,5,6,7,8,9,10,11,12, 13,14,15,16. CEEW- 1, 2, 3, 4, 5 275MT/A
Using Environmentally Sound technology as per E-Waste (M) Rules, 2016)		

- CONDITIONS UNDER WATER ACT:

- The daily quantity of trade effluent from the factory shall be NIL.
- The daily quantity of sewage effluent from the factory shall not exceed 0.80 M<sup>3</sup>.
- Trade Effluent Treatment and Disposal: -- NA--
- Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:


M/s. Ecostar Recycling,

MPCB-CONSENT-0000102054

1

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781  
/24037124/24035273  
Fax : 24044532/24024068  
/24023516  
Email : rohq@mpcb.gov.in  
Website: www.mpcb.gov.in



Kalpataru Point, 3rd & 4th Floor, ,  
Sion- Matunga Scheme Road No. 8 Opp. Cine  
Planet Cinema  
Near Sion Circle, Sion (E),  
Mumbai - 400 022

*Red/S.S./Dismantler*

UAN: MPCB-CONSENT-0000062893

Consent No: BO/MPCB/RO(HQ)/PN/CO/B-1905001672 Date: 25/10/2019

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 & Authorization / Renewal of Authorization under Rule 13 of the E-Waste (Management) Rules, 2016.

[To be referred as Water Act, Air Act, HOW (M&TM) Rules and E-Waste (M) Rules, respectively].

CONSENT is hereby granted to .....

M/s. National Traders,  
S. No. 103/1/2 Undri - Saswad road,  
Autade, Handewadi,  
Tal. Haveli, Dist. Pune.

Located in the area declared under the provisions of the Water Act, Air act, Authorization under the provisions of HOW (M&TM) Rules and amendments thereto and the E-Waste (M) Rules, 2016 and subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for period upto: 30/04/2024.  
[Subject to having valid Authorisation from MPCB as "E-Waste Dismantler" as per provisions of the Rule 11 of the E-Waste (M) Rules, 2016.]

2. The Consent is valid for the activity of -

Sr. No.	Product Name	Maximum Quantity
1	Collection, Segregation and Dismantling of E-Waste ITEW - 1,2,3,4,5,6,9,15 & CEEW - 1,2,4	250 MT/A

Using Environmentally Sound technology as per E-Waste (M) Rules, 2016)

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall be NIL.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.3 M<sup>3</sup>.
- (iii) Trade Effluent Treatment: --- NA ---
- (iv) Trade Effluent Disposal: --- NA ---
- (v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:



Government of India  
Form GST REG-06  
[See Rule 10(1)]

Registration Certificate

Registration Number :27BDZPS2803N1ZN

1.	Legal Name	MOSHIN SHAHJAHAN SHAIKH			
2.	Trade Name, if any	NATIONAL TRADERS			
3.	Constitution of Business	Proprietorship			
4.	Address of Principal Place of Business	MANGALWAR PETH, SHOP NO 48, JUNABAZAR, NEAR GADITAL POLICE CHOKI, PUNE, Pune, Maharashtra, 411011			
5.	Date of Liability	01/07/2017			
6.	Period of Validity	From	01/07/2017	To	NA
7.	Type of Registration	Regular			
8.	Particulars of Approving Authority				
Signature					
Name					
Designation					
Jurisdictional Office					
9.	Date of issue of Certificate	25/09/2017			
Note: The registration certificate is required to be prominently displayed at all places of business in the State.					

This is a system generated digitally signed Registration Certificate issued based on the deemed approval of the application for registration

Use only for KY wagh edu society nashik 2020

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781  
/24037124/24035273  
Fax : 24044532/24024068  
/24023516  
Email : rohq@mpcb.gov.in  
Website: www.mpcb.gov.in



Kalpataru Point, 3rd & 4th Floor,  
Sion- Matunga Scheme Road No. 8, Opp. Cine  
Planet Cinema  
Near Sion Circle, Sion (E),  
Mumbai - 400 022

**Red/S.S./Dismantler**

**UAN: MPCB-CONSENT-0000062593**

**Consent No: BO/MPCB/RO(HQ)/PN/CO/B-1905001672** Date: 15/2019

Consent to Operate under Section 23 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 & Authorization / Renewal of Authorization under Rule 13 of the E-Waste (Management) Rules, 2016.

[To be referred as Water Act, Air Act, HOW (M&TM) Rules and E-Waste (M) Rules, respectively].

CONSENT is hereby granted to

M/s. National Traders,  
S. No. 103/1/2, Undri - Saswad road,  
Autade, Handewadi,  
Tal. Haveli, Dist. Pune.

Located in the area declared under the provisions of the Water Act, Air act, Authorization under the provisions of HOW (M&TM) Rules and amendments thereto and the E-Waste (M) Rules, 2016 and subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

- The Consent to Operate is granted for period upto: 30/04/2024.  
[Subject to having valid Authorisation from MPCB as "E-Waste Dismantler" as per provisions of the Rule 11 of the E-Waste (M) Rules, 2016.]

- The Consent is valid for the activity of -

Sr. No.	Product Name	Maximum Quantity
	Collection, Segregation and Dismantling of E-Waste	ITEW - 1,2,3,4,5,6,9,15 & CEEW - 1,2,4
		250 MTA
Using Environmentally Sound technology as per E-Waste (M) Rules, 2010		

- CONDITIONS UNDER WATER ACT:

- The daily quantity of trade effluent from the factory shall be NIL.
- The daily quantity of sewage effluent from the factory shall not exceed 0.3 M<sup>3</sup>.
- Trade Effluent Treatment: -- NA --
- Trade Effluent Disposal: -- NA --
- Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- (1) Suspended Solids Not to exceed 100 mg/l.  
 (2) BOD 3 days 27° C Not to exceed 30 mg/l.

(vi) Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vi) Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
1.	Scrap/plastic packing material	50	MT/A	---	Sale to authorized party

(vii) Other Conditions: Industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

- (i) Domestic purpose --- 8.50 CMD  
 (ii) Water gets Polluted & Pollutants are Biodegradable 0.00 CMD  
 (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic 0.00 CMD  
 (iv) Industrial Cooling, spraying in mine pits or boiler feed --- 0.00 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment: Industry shall provide air pollution control equipments of sufficient capacity to control the emissions.

a. Standards for Emissions of Air Pollutants:

- (i) SPM/TPM Not to exceed 50 mg/Nm<sup>3</sup>  
 (ii) SO<sub>2</sub> Not to exceed -- kg/day

(ii) Standards for Stack Emissions:

The applicant shall observe the following fuel pattern:-

Sr. No.	Type of Fuel	Quantity	UOM
---	---	---	---

The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
---	---	---

(iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

(iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(v) Other Conditions:

1. The industry should not cause any nuisance in surrounding area.
2. The industry should monitor stack emissions and ambient air quality regularly.

6. **CONDITIONS UNDER HAZARDOUS & OTHER WASTES (MANAGEMENT & TRANSBOUNDRY MOVEMENT) RULES, 2016:**

(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	31.1 - Process residues and waste	25	MT/A	CHWTSDF

(ii) The authorization is hereby granted to operate a facility for generation, collection, storage, transport & disposal of hazardous waste.

(iii) It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the Hazardous & Other Wastes (M & TM) Rules, 2016 and shown & submitted to the Board as & when asked for.

a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

b. The unit has to display and maintain the data online outside the factory main gate in Marathi & English both on a 6'x4' display board in the manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.

The industry shall submit the Annual Returns as per rules 6(5), and 20 (2) of the Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form - IV by 30<sup>th</sup> June of every year.